VOL. 522 JOURNAL OF CHROMATOGRAPHY NOVEMBER 28, 1990

CONTENTS

(*Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal, Research Alert and Science Citation Index*)

Study of the interaction between two overloaded bands injected successively in non-linear chromatography
by M. Z. El Fallah and G. Guiochon (Knoxville and Oak Ridge, TN, U.S.A.) (Received June 25th, 1990) 1

Measurement of the heats of adsorption of chiral isomers on an enantioselective stationary phase
by S. Jacobson, S. Golshan-Shirazi and G. Guiochon (Knoxville and Oak Ridge, TN, U.S.A.) (Received May 23rd, 1990) 23

Linear solvation energy relationships in the study of the solvatochromic properties and liquid chromatographic retention behaviour of benzodiazepines
by M. C. Pietrogrande, C. Bighi, P. A. Borea and F. Dondi (Ferrara, Italy) (Received June 1st, 1990) 37

Quantitative correlation of the parameters $\log k'_w$ and $-S$ in the retention equation in reversed-phase high-performance liquid chromatographic and solvatochromic parameters
by H. Zou, Y. Zhang and P. Lu (Dalian, China) (Received May 29th, 1990) 49

Direct deconvolution of Tung's integral equation using a multi-Gaussian function model for instrumental band broadening in gel-permeation chromatography
by J. Feng and X. Fan (Shanghai, China) (Received May 23rd, 1990) 57

Problems in the size-exclusion chromatography of cellulose nitrates: non-exclusion effects and universal calibration
by T. E. Eremeeva, T. O. Bykova and V. S. Gromov (Riga, U.S.S.R.) (Received June 26th, 1990) 67

Adsorption of proteins on porous and non-porous poly(ethyleneimine) and tentacle-type anion exchangers
by R. Janzen and K. K. Unger (Mainz, F.R.G.), W. Müller (Darmstadt, F.R.G.) and M. T. W. Hearn (Victoria, Australia) (Received July 7th, 1990) 77

Chemically modified polymeric resins for high-performance liquid chromatography
by J. J. Sun and J. S. Fritz (Ames, IA, U.S.A.) (Received August 24th, 1990) 95

Reversed-phase liquid chromatography of polar benzene derivatives on poly(vinylbenzo-18-crown-6)-immobilized silica as a stationary phase
by H. Harino, K. Kimura, M. Tanaka and T. Shono (Osaka, Japan) (Received June 26th, 1990) 107

Quantitative comparisons of reaction products using liquid chromatography with dual-label radioactivity measurements
by L. C. Thomas and C. L. Wood (Seattle, WA, U.S.A.) (Received June 12th, 1990) . . . 117

Étude par chromatographie liquide haute performance des antioxydants phénoliques présents dans les matériaux plastiques. Comparaison de trois méthodes de détection: spectrophotométrique dans l'ultra-violet, electrochimique, et évaporative à diffusion de la lumière
by N. Yagoubi, A. E. Baillet, F. Pellerin et D. Baylocq (Chatenay-Malabry, France) (Reçu le 9 juillet 1990) 131

Effects of mobile phase composition on the reversed-phase separation of dipeptides and tripeptides with cyclodextrin-bonded-phase columns
by C. A. Chang, H. Ji and G. Lin (El Paso, TX, U.S.A.) (Received July 31st, 1990) . . . 143

(Continued overleaf)

Effect of feed flow-rate, antigen concentration and antibody density on immunoaffinity purification of coagulation factor IX
by J. P. Tharakan (Washington, DC, U.S.A.) and D. B. Clark and W. N. Drohan (Rockville, MD, U.S.A.) (Received July 3rd, 1990) 153

Reversed-phase chromatography of *Escherichia coli* ribosomal proteins. Correlation of retention time with chain length and hydrophobicity
by W. S. Champney (Johnson City, TN, U.S.A.) (Received July 24th, 1990) 163

Use of metal chelate affinity chromatography for removal of zinc ions from alkaline phosphatase from *Escherichia coli*
by V. K. Lubińska and G. Muszyńska (Warsaw, Poland) (Received July 10th, 1990) . . . 171

Liquid chromatography–thermospray mass spectrometric study of N-acylamino dilactones and 4-butyrolactones derived from antimycin A
by S. L. Abidi and S. C. Ha (La Crosse, WI, U.S.A.) and R. T. Rosen (New Brunswick, NJ, U.S.A.) (Received June 24th, 1990) 179

Study of the stereochemistry of ethambutol using chiral liquid chromatography and synthesis
by B. Blessington and A. Beiraghi (Bradford, U.K.) (Received July 30th, 1990) 195

On-line precolumn photochemical generation of pH gradient: micro-high-performance liquid chromatography of methotrexate and its impurities
by J. Šalamoun and K. Šlais (Brno, Czechoslovakia) (Received June 26th, 1990) 205

Use of a short analytical column for the isolation and identification of degradation products of ICI 200 880, a peptidic elastase inhibitor
by J. C. Meyer, R. C. Spreen and J. E. Hall (Wilmington, DE, U.S.A.) (Received July 5th, 1990) 213

Determination of tretinoin in creams by high-performance liquid chromatography
by M. B. Kril, K. A. Burke, J. E. DiNunzio and R. R. Gadde (Buffalo, NY, U.S.A.) (Received August 30th, 1990) 227

Aqueous two-phase systems with increased density for partition of heavy particles
by A. Blennow and G. Johansson (Lund, Sweden) (Received June 19th, 1990) 235

Chromatographic separations of sucrose monostearate structural isomers
by M. C. Torres, M. A. Dean and F. W. Wagner (Lincoln, NE, U.S.A.) (Received July 26th, 1990) 245

Chromatographic separation and partial identification of glycosidically bound volatile components of fruit
by C. Salles, J.-C. Jallageas and J. Crouzet (Montpellier, France) (Received July 3rd, 1990) 255

Supercritical fluid chromatography of polychlorinated biphenyls on packed columns
by K. Cammann and W. Kleiböhmer (Münster, F.R.G.) (Received June 28th, 1990) . . . 267

Gas chromatographic methods for the assessment of binary diffusion coefficients for compounds in the gas phase
by A. K. Bemgård and A. L. Colmsjö (Solna, Sweden) (Received July 5th, 1990) 277

Evaluation tests and applications of a double-layer tube-type passive sampler
by G. Bertoni, S. Canepari, M. Rotatori, R. Fratarcangeli and A. Liberti (Rome, Italy) (Received July 3rd, 1990) 285

Gas chromatography–mass spectrometry of conjugated dienes by derivatization with 4-methyl-1,2,4-triazoline-3,5-dione
by D. C. Young, P. Vouros and M. F. Holick (Boston, MA, U.S.A.) (Received August 8th, 1990) 295

Application of multidimensional gas chromatography–mass spectrometry to the determination of glycol ethers in air
by E. R. Kennedy, P. F. O'Connor and A. A. Grote (Cincinnati, OH, U.S.A.) (Received August 29th, 1990) 303

New sensitive method for the examination of the volatile flavor fraction of cabernet sauvignon wines
by J. O. K. Boison (Saskatoon, Canada) and R. H. Tomlinson (Hamilton, Canada) (Received August 15th, 1990) 315

Analysis of haloalkanes on wide-pore capillary columns of different polarity connected in series
by G. Castello, A. Timossi and T. C. Gerbino (Genova, Italy) (Received June 12th, 1990) 329

Book Reviews

Chromatography/Fourier transform infrared spectroscopy and its applications (by R. White), reviewed by K. D. Bartle 344

Modern thin-layer chromatography (edited by N. Grinberg), reviewed by C. F. Poole 345

Author Index 347

Erratum 349

Instructions to Authors 351

In articles with more than one author, the name of the author to whom correspondence should be addressed is indicated in the article heading by a 6-pointed asterisk (*)